



Research Article

Score for the Partition (9,8,3)

Abeer Hussein Ali ¹ , Niran Sabah Jasim ^{2,*} , Hadi Hamad ³ , Zeinab Saeidian ⁴ , Faoziya Musbah ⁵ 

¹ Ministry of Education, General Directorate of Education Baghdad, Karkh I, Baghdad, Iraq

² Department of Mathematics, College of Education for Pure Science Ibn Al-Haitham, University of Baghdad, Baghdad, Iraq

³ Department of Mathematics, An-Najah National University, Nablus P400, Palestine

⁴ University of Kashan, Kashan, Iran

⁵ Higher education lecturer, University of Bani waleed, Libya, College of Electronic Technology, Bani waleed, Libya.

ARTICLE INFO

Article History

Received 15 Sep 2024

Revised: 13 Oct 2024

Accepted 14 Nov 2024

Published 06 Dec 2024

Keywords

Capelli identities

reduction

resolution

Weyl module

partition



ABSTRACT

The Weyl module resolution studied by Buchsbaum where the Weyl module $\mathcal{K}_{\lambda/\mu}(\mathcal{F})$ is the image of the Weyl map $d'_{\lambda/\mu}(\mathcal{F})$ for the skew-partition λ/μ and \mathcal{F} is a free module defined on a commutative ring \mathcal{R} with identity; where λ runs over all partitions $\lambda = (\lambda_1, \lambda_2, \dots, \lambda_s)$. There are a number of classical formulas that express the formal character of the representation $\mathcal{L}_{\lambda}(\mathcal{F})$ in terms of standard symmetric polynomials. Such formulas are also valid for the more general representation modules $\{\mathcal{L}_{\lambda/\mu}(\mathcal{F})\}$ associated to skew partition λ/μ ; where $\mu \subseteq \lambda$, where the set of all irreducible polynomial representations of general linear group $GL_n(\mathcal{F})$ of degree n is described by the module $\{\mathcal{L}_{\lambda}(\mathcal{F})\}$

The reduction from the terms of the characteristic-free of Weyl module resolution to the terms of the Lascoux resolution found in this work for the partition (9,8,3) by using the boundary maps and prove that the sequence of the reduction terms is exact.

1. INTRODUCTION

The terms of the resolutions for all shapes called class of almost skew shapes. This characterization is largely located on the Bar complex framework, but a total characterization of the boundary map is still an open problem the researchers in [1,2] studied that in details.

The authors in [3] presented the skeleton in the resolution of skew-shapes. Especially the terms of Lascoux resolution can be recovered within the formulas approaching in [2,4]. Over and above the application of the outcomes aforesaid above, the authors in [5,6] illustrated that by employing the letter place methods and place polarization in a symmetric way.

The authors in [7] studied the corresponding of Weyl module to the partition (2,2,2), the relationship between the resolution of $\mathcal{K}_{(2,2,2)}\mathcal{F}$ in the characteristic-free module and in the Lascoux mode. By this comparison, the characteristic-free boundary maps are modified to obtain the obvious maps of the Lascoux case.

The techniques in [7] generalized by Hassan for the partitions (3,3,3), and (4,4,3) in [8,9] respectively, also authors in [10-12] studied the cases (8,7,3), (6,6,4;0,0), (7,7,4;0,0).

The terms of characteristic-free resolution of Weyl module reduction to the terms of Lascoux resolution for the partition (9,8,3) and prove that the sequence of these terms is exact in this work.

2. THE CHARACTERISTIC-FREE AND LASCoux RESOLUTION

The terms of the resolution for the partition (9,8,3)

$$Res([9,8; 0]) \otimes \mathcal{D}_3 \oplus \sum_{e \geq 0} \mathcal{Z}_{32}^{(e+1)} \psi Res([9,8 + e + 1; e + 1]) \otimes \mathcal{D}_{3-e-1} \oplus$$

*Corresponding author. Email: niraan.s.j@ihcoedu.uobaghdad.edu.iq

$$\sum_{e_1 \geq 0, e_2 \geq e_1} \underline{Z}_{32}^{(e_2+1)} \psi \underline{Z}_{31}^{(e_1+1)} z \text{Res}([9 + e_1 + 1, 8 + e_2 + 1; e_2 - e_1]) \otimes \mathcal{D}_{3-(e_1+e_2+2)} \tag{1}$$

So

$$\sum_{e \geq 0} \underline{Z}_{32}^{(e+1)} \psi \text{Res}([9, 8 + e + 1; e + 1]) \otimes \mathcal{D}_{3-e-1} = \underline{Z}_{32} \psi \text{Res}([9, 9; 1]) \otimes \mathcal{D}_2 \oplus \underline{Z}_{32}^{(2)} \psi \text{Res}([9, 10; 2]) \otimes \mathcal{D}_1 \oplus \underline{Z}_{32}^{(3)} \psi \text{Res}([9, 11; 3]) \otimes \mathcal{D}_0,$$

and

$$\sum_{e_1 \geq 0, e_2 \geq e_1} \underline{Z}_{32}^{(e_2+1)} \psi \underline{Z}_{31}^{(e_1+1)} z \text{Res}([9 + e_1 + 1, 8 + e_2 + 1; e_2 - e_1]) \otimes \mathcal{D}_{3-(e_1+e_2+2)} = \underline{Z}_{32} \psi \underline{Z}_{31} z \text{Res}([10, 9; 0]) \otimes \mathcal{D}_1 \oplus \underline{Z}_{32}^{(2)} \psi \underline{Z}_{31} z \text{Res}([10, 10; 1]) \otimes \mathcal{D}_0;$$

and

$$\sum_{e_1 \geq 0, e_2 \geq e_1} \underline{Z}_{32}^{(e_2+1)} \psi \underline{Z}_{31}^{(e_1+1)} z \text{Res}([9 + e_1 + 1, 9 + e_2 + 1; e_2 - e_1]) \otimes \mathcal{D}_{3-(e_1+e_2+2)} = \underline{Z}_{32} \psi \underline{Z}_{31} z \text{Res}([10, 10; 0]) \otimes \mathcal{D}_1 \oplus \underline{Z}_{32}^{(2)} \psi \underline{Z}_{31} z \text{Res}([10, 11; 1]) \otimes \mathcal{D}_0;$$

where $\underline{Z}_{32} \psi$ is the Bar complex:

$$0 \rightarrow \underline{Z}_{32} \psi \xrightarrow{\partial_\psi} \underline{Z}_{32} \rightarrow 0,$$

$\underline{Z}_{32}^{(2)} \psi$ is the Bar complex:

$$0 \rightarrow \underline{Z}_{32} \psi \underline{Z}_{32} \psi \xrightarrow{\partial_\psi} \underline{Z}_{32}^{(2)} \psi \xrightarrow{\partial_\psi} \underline{Z}_{32}^{(2)} \rightarrow 0,$$

$\underline{Z}_{32}^{(3)} \psi$ is the Bar complex:

$$0 \rightarrow \underline{Z}_{32} \psi \underline{Z}_{32} \psi \underline{Z}_{32} \psi \xrightarrow{\partial_\psi} \begin{matrix} \underline{Z}_{32}^{(2)} \psi \underline{Z}_{32} \psi \\ \oplus \\ \underline{Z}_{32} \psi \underline{Z}_{32}^{(2)} \psi \end{matrix} \xrightarrow{\partial_\psi} \underline{Z}_{32}^{(3)} \psi \xrightarrow{\partial_\psi} \underline{Z}_{32}^{(3)} \rightarrow 0,$$

and $\underline{Z}_{31} z$ is the Bar complex:

$$0 \rightarrow \underline{Z}_{31} z \xrightarrow{\partial_z} \underline{Z}_{31} \rightarrow 0;$$

where x, y and z stand for the separator variables, and the boundary map is $\partial_x + \partial_y + \partial_z$.

Let $\text{Bar}(\mathcal{M}, \mathcal{A}; \mathcal{S})$ be the free Bar module on the set $\mathcal{S} = \{x, y, z\}$; where \mathcal{A} is the free associative algebra generated by $\mathcal{Z}_{21}, \mathcal{Z}_{32}$, and \mathcal{Z}_{31} and their divided powers with the following relations:

$$\mathcal{Z}_{32}^{(a)} \mathcal{Z}_{31}^{(b)} = \mathcal{Z}_{31}^{(b)} \mathcal{Z}_{32}^{(a)} \quad \text{and} \quad \mathcal{Z}_{21}^{(a)} \mathcal{Z}_{31}^{(b)} = \mathcal{Z}_{31}^{(b)} \mathcal{Z}_{21}^{(a)}.$$

And the module \mathcal{M} is the direct sum of $\mathcal{D}_p \otimes \mathcal{D}_q \otimes \mathcal{D}_r$ for suitable p, q , and r with the action of $\mathcal{Z}_{21}, \mathcal{Z}_{32}$, and \mathcal{Z}_{31} and their divided powers.

The terms of the characteristic-free resolution (4.3.1); where $b, b_1, b_2, b_3, b_4, b_5, b_6, b_7, c_1, c_2 \in \mathbb{Z}^+$ are:

- In dimension zero (\mathcal{X}_0) we have $\mathcal{D}_9 \otimes \mathcal{D}_8 \otimes \mathcal{D}_3$.
- In dimension one (\mathcal{X}_1) we have the sum of the following terms:
 - $\mathcal{Z}_{21}^{(b)} x \mathcal{D}_{9+b} \otimes \mathcal{D}_{8-b} \otimes \mathcal{D}_3$; where $1 \leq b \leq 8$.
 - $\mathcal{Z}_{32}^{(b)} y \mathcal{D}_9 \otimes \mathcal{D}_{8+b} \otimes \mathcal{D}_{3-b}$; where $1 \leq b \leq 3$.
- In dimension two (\mathcal{X}_2) we have the sum of the following terms:
 - $\mathcal{Z}_{21}^{(b_1)} x \mathcal{Z}_{21}^{(b_2)} x \mathcal{D}_{9+|b|} \otimes \mathcal{D}_{8-|b|} \otimes \mathcal{D}_3$; where $2 \leq |b| = b_1 + b_2 \leq 8$.
 - $\mathcal{Z}_{32} \psi \mathcal{Z}_{21}^{(b)} x \mathcal{D}_{9+b} \otimes \mathcal{D}_{9-b} \otimes \mathcal{D}_2$; where $2 \leq b \leq 9$.
 - $\mathcal{Z}_{32}^{(2)} \psi \mathcal{Z}_{21}^{(b)} x \mathcal{D}_{9+b} \otimes \mathcal{D}_{10-b} \otimes \mathcal{D}_1$; where $3 \leq b \leq 10$.
 - $\mathcal{Z}_{32}^{(3)} \psi \mathcal{Z}_{21}^{(b)} x \mathcal{D}_{9+b} \otimes \mathcal{D}_{11-b} \otimes \mathcal{D}_0$; where $4 \leq b \leq 11$.
 - $\mathcal{Z}_{32}^{(b_1)} \psi \mathcal{Z}_{32}^{(b_2)} \psi \mathcal{D}_9 \otimes \mathcal{D}_{11+|b|} \otimes \mathcal{D}_{3-|b|}$; where $2 \leq |b| = b_1 + b_2 \leq 3$.
 - $\mathcal{Z}_{32}^{(b)} \psi \mathcal{Z}_{31} z \mathcal{D}_{10} \otimes \mathcal{D}_{10+b} \otimes \mathcal{D}_{2-b}$; where $1 \leq b \leq 2$.
- In dimension three (\mathcal{X}_3) we have the sum of the following terms:
 - $\mathcal{Z}_{21}^{(b_1)} x \mathcal{Z}_{21}^{(b_2)} x \mathcal{Z}_{21}^{(b_3)} x \mathcal{D}_{9+|b|} \otimes \mathcal{D}_{8-|b|} \otimes \mathcal{D}_3$; where $3 \leq |b| = \sum_{i=1}^3 b_i \leq 8$ and $b_1 \geq 1$.
 - $\mathcal{Z}_{32} \psi \mathcal{Z}_{21}^{(b_1)} x \mathcal{Z}_{21}^{(b_2)} x \mathcal{D}_{9+|b|} \otimes \mathcal{D}_{9-|b|} \otimes \mathcal{D}_2$; where $3 \leq |b| = b_1 + b_2 \leq 9$ and $b_1 \geq 2$.
 - $\mathcal{Z}_{32}^{(2)} \psi \mathcal{Z}_{21}^{(b_1)} x \mathcal{Z}_{21}^{(b_2)} x \mathcal{D}_{9+|b|} \otimes \mathcal{D}_{10-|b|} \otimes \mathcal{D}_1$; where $4 \leq |b| = b_1 + b_2 \leq 10$ and $b_1 \geq 3$.

- $Z_{32}yZ_{32}yZ_{21}^{(b)}x\mathcal{D}_{9+b}\otimes\mathcal{D}_{10-b}\otimes\mathcal{D}_1$; where $3 \leq b \leq 10$.
- $Z_{32}^{(3)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $5 \leq |b| = b_1 + b_2 \leq 12$ and $b_1 \geq 4$.
- $Z_{32}^{(c_1)}yZ_{32}^{(c_2)}yZ_{21}^{(b)}x\mathcal{D}_{9+b}\otimes\mathcal{D}_{11-b}\otimes\mathcal{D}_0$; where $c_1 + c_2 = 3$ and $4 \leq b \leq 11$.
- $Z_{32}yZ_{32}yZ_{32}y\mathcal{D}_9\otimes\mathcal{D}_{11}\otimes\mathcal{D}_0$.
- $Z_{32}yZ_{31}zZ_{21}^{(b)}x\mathcal{D}_{10+b}\otimes\mathcal{D}_{9-b}\otimes\mathcal{D}_1$; where $1 \leq b \leq 9$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(b)}x\mathcal{D}_{10+b}\otimes\mathcal{D}_{10-b}\otimes\mathcal{D}_0$; where $2 \leq b \leq 10$.
- $Z_{32}yZ_{32}yZ_{31}z\mathcal{D}_{10}\otimes\mathcal{D}_{10}\otimes\mathcal{D}_0$.

◦ In dimension four (\mathcal{X}_4) we have the sum of the following terms:

- $Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{8-|b|}\otimes\mathcal{D}_3$; where $4 \leq |b| = \sum_{i=1}^4 b_i \leq 8$ and $b_1 \geq 1$.
- $Z_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{9-|b|}\otimes\mathcal{D}_2$; where $4 \leq |b| = \sum_{i=1}^3 b_i \leq 9$ and $b_1 \geq 2$.
- $Z_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_1$; where $5 \leq |b| = \sum_{i=1}^3 b_i \leq 10$ and $b_1 \geq 3$.
- $Z_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_1$; where $4 \leq |b| = b_1 + b_2 \leq 10$; and $b_1 \geq 3$.
- $Z_{32}^{(3)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $6 \leq |b| = \sum_{i=1}^3 b_i \leq 11$ and $b_1 \geq 4$.
- $Z_{32}^{(c_1)}yZ_{32}^{(c_2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $c_1 + c_2 = 3, 5 \leq |b| = b_1 + b_2 \leq 11$ and $b_1 \geq 4$.
- $Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b)}x\mathcal{D}_{9+b}\otimes\mathcal{D}_{11-b}\otimes\mathcal{D}_0$; where $4 \leq b \leq 11$.
- $Z_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{9-|b|}\otimes\mathcal{D}_1$; where $2 \leq |b| = b_1 + b_2 \leq 9$ and $b_1 \geq 1$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_0$; where $3 \leq |b| = b_1 + b_2 \leq 10$ and $b_1 \geq 2$.
- $Z_{32}yZ_{32}yZ_{31}zZ_{21}^{(b)}x\mathcal{D}_{10+b}\otimes\mathcal{D}_{10-b}\otimes\mathcal{D}_0$; where $2 \leq b \leq 10$.

◦ In dimension five (\mathcal{X}_5) we have the sum of the following terms:

- $Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{8-|b|}\otimes\mathcal{D}_3$; where $5 \leq |b| = \sum_{i=1}^5 b_i \leq 8$ and $b_1 \geq 1$.
- $Z_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{9-|b|}\otimes\mathcal{D}_2$; where $5 \leq |b| = \sum_{i=1}^4 b_i \leq 9$ and $b_1 \geq 2$.
- $Z_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_1$; where $6 \leq |b| = \sum_{i=1}^4 b_i \leq 10$ and $b_1 \geq 3$.
- $Z_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_1$; where $5 \leq |b| = \sum_{i=1}^3 b_i \leq 10$ and $b_1 \geq 3$.
- $Z_{32}^{(3)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $7 \leq |b| = \sum_{i=1}^4 b_i \leq 11$ and $b_1 \geq 4$.
- $Z_{32}^{(c_1)}yZ_{32}^{(c_2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $c_1 + c_2 = 3, 6 \leq |b| = \sum_{i=1}^3 b_i \leq 11$ and $b_1 \geq 4$.
- $Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $5 \leq |b| = b_1 + b_2 \leq 11$ and $b_1 \geq 4$.
- $Z_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{9-|b|}\otimes\mathcal{D}_1$; where $3 \leq |b| = \sum_{i=1}^3 b_i \leq 9$ and $b_1 \geq 1$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_0$; where $4 \leq |b| = \sum_{i=1}^3 b_i \leq 10$ and $b_1 \geq 2$.
- $Z_{32}yZ_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_0$; where $3 \leq |b| = b_1 + b_2 \leq 10$ and $b_1 \geq 2$.

◦ In dimension six (\mathcal{X}_6) we have the sum of the following terms:

- $Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xZ_{21}^{(b_6)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{8-|b|}\otimes\mathcal{D}_3$; where $6 \leq |b| = \sum_{i=1}^6 b_i \leq 8$ and $b_1 \geq 1$.
- $Z_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{9-|b|}\otimes\mathcal{D}_2$; where $6 \leq |b| = \sum_{i=1}^5 b_i \leq 9$ and $b_1 \geq 2$.
- $Z_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_1$; where $7 \leq |b| = \sum_{i=1}^5 b_i \leq 10$ and $b_1 \geq 3$.
- $Z_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_1$; where $6 \leq |b| = \sum_{i=1}^4 b_i \leq 10$ and $b_1 \geq 3$.
- $Z_{32}^{(3)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $8 \leq |b| = \sum_{i=1}^5 b_i \leq 11$ and $b_1 \geq 4$.
- $Z_{32}^{(c_1)}yZ_{32}^{(c_2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $c_1 + c_2 = 3, 7 \leq |b| = \sum_{i=1}^4 b_i \leq 11$ and $b_1 \geq 4$.
- $Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{9+|b|}\otimes\mathcal{D}_{11-|b|}\otimes\mathcal{D}_0$; where $6 \leq |b| = \sum_{i=1}^3 b_i \leq 11$ and $b_1 \geq 4$.
- $Z_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{9-|b|}\otimes\mathcal{D}_1$; where $4 \leq |b| = \sum_{i=1}^4 b_i \leq 9$ and $b_1 \geq 1$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_0$; where $5 \leq |b| = \sum_{i=1}^4 b_i \leq 10$ and $b_1 \geq 2$.
- $Z_{32}yZ_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}x\mathcal{D}_{10+|b|}\otimes\mathcal{D}_{10-|b|}\otimes\mathcal{D}_0$; where $4 \leq |b| = \sum_{i=1}^3 b_i \leq 10$ and $b_1 \geq 2$.

◦ In dimension seven (\mathcal{X}_7) we have the sum of the following terms:

- $Z_{32}^{(c_1)} y Z_{32}^{(c_2)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x Z_{21}^{(b_6)} x Z_{21}^{(b_7)} x Z_{21}^{(b_8)} x D_{9+|b|} \otimes D_{11-|b|} \otimes D_0$; where $c_1 + c_2 = 3, 11 \leq |b| = \sum_{i=1}^8 b_i \leq 12$ and $b_1 \geq 4$.
- $Z_{32} y Z_{31} z Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{19} \otimes D_0 \otimes D_1$.
- $Z_{32} y Z_{32} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x Z_{21}^{(b_6)} x Z_{21}^{(b_7)} x D_{10+|b|} \otimes D_{10-|b|} \otimes D_0$; where $8 \leq |b| = \sum_{i=1}^7 b_i \leq 10$ and $b_1 \geq 2$.
- $Z_{32}^{(2)} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x Z_{21}^{(b_6)} x Z_{21}^{(b_7)} x Z_{21}^{(b_8)} x D_{10+|b|} \otimes D_{10-|b|} \otimes D_0$; where $8 \leq |b| = \sum_{i=1}^8 b_i \leq 10$ and $b_1 \geq 2$.

◦ In dimension eleven (\mathcal{X}_{11}) we have the sum of the following terms:

- $Z_{32} y Z_{32} y Z_{32} y Z_{21}^{(4)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{20} \otimes D_0 \otimes D_0$.
- $Z_{32} y Z_{32} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x Z_{21}^{(b_6)} x Z_{21}^{(b_7)} x Z_{21}^{(b_8)} x D_{10+|b|} \otimes D_{10-|b|} \otimes D_0$; where $9 \leq |b| = \sum_{i=1}^7 b_i \leq 10$ and $b_1 \geq 2$.

Finally, in dimension twelve (\mathcal{X}_{12}) we have:

- $Z_{32} y Z_{32} y Z_{31} z Z_{21}^{(2)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{20} \otimes D_0 \otimes D_0$.

The terms of the Lascoux complex are obtained by the determinantal expansion of the Jacobi-Trudi matrix of the partition [1]. The positions of the terms of the complex are determined by the length of the permutation to which they correspond, [4].

In the case of the partition (9,8,3) we get the following matrix:

$$\begin{bmatrix} \mathcal{D}_9 \mathcal{F} & \mathcal{D}_7 \mathcal{F} & \mathcal{D}_1 \mathcal{F} \\ \mathcal{D}_{10} \mathcal{F} & \mathcal{D}_8 \mathcal{F} & \mathcal{D}_2 \mathcal{F} \\ \mathcal{D}_{11} \mathcal{F} & \mathcal{D}_9 \mathcal{F} & \mathcal{D}_3 \mathcal{F} \end{bmatrix}$$

Then the Lascoux complex has the correspondence between its terms as pursues:

$$\mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_8 \mathcal{F} \otimes \mathcal{D}_3 \mathcal{F} \leftrightarrow \text{identity.}$$

$$\mathcal{D}_{10} \mathcal{F} \otimes \mathcal{D}_7 \mathcal{F} \otimes \mathcal{D}_3 \mathcal{F} \leftrightarrow (12).$$

$$\mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_2 \mathcal{F} \leftrightarrow (23).$$

$$\mathcal{D}_{10} \mathcal{F} \otimes \mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_1 \mathcal{F} \leftrightarrow (123).$$

$$\mathcal{D}_{11} \mathcal{F} \otimes \mathcal{D}_7 \mathcal{F} \otimes \mathcal{D}_2 \mathcal{F} \leftrightarrow (132).$$

$$\mathcal{D}_{11} \mathcal{F} \otimes \mathcal{D}_8 \mathcal{F} \otimes \mathcal{D}_1 \mathcal{F} \leftrightarrow (13).$$

Thus the resolution of Lascoux in the case of the partition (9,8,3) has the formulation:

$$\mathcal{D}_{11} \mathcal{F} \otimes \mathcal{D}_8 \mathcal{F} \otimes \mathcal{D}_1 \mathcal{F} \longrightarrow \begin{matrix} \mathcal{D}_{11} \mathcal{F} \otimes \mathcal{D}_7 \mathcal{F} \otimes \mathcal{D}_2 \mathcal{F} \\ \oplus \\ \mathcal{D}_{10} \mathcal{F} \otimes \mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_1 \mathcal{F} \end{matrix} \longrightarrow \begin{matrix} \mathcal{D}_{10} \mathcal{F} \otimes \mathcal{D}_7 \mathcal{F} \otimes \mathcal{D}_3 \mathcal{F} \\ \oplus \\ \mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_2 \mathcal{F} \end{matrix} \longrightarrow \mathcal{D}_9 \mathcal{F} \otimes \mathcal{D}_8 \mathcal{F} \otimes \mathcal{D}_3 \mathcal{F}$$

3. THE SCORE

As in [4], we exhibit the terms of the complex (2.1) as:

$$\mathcal{X}_0 = \mathcal{L}_0 = \mathcal{M}_0,$$

$$\mathcal{X}_1 = \mathcal{L}_1 \oplus \mathcal{M}_1,$$

$$\mathcal{X}_2 = \mathcal{L}_2 \oplus \mathcal{M}_2,$$

$$\mathcal{X}_3 = \mathcal{L}_3 \oplus \mathcal{M}_3,$$

$$\mathcal{X}_j = \mathcal{M}_j \text{ ; for } j = 4, 5, \dots, 12,$$

where \mathcal{L}_e are the sum of the Lascoux terms and \mathcal{M}_e are the sum of the others.

Now, we define the map $\sigma_1: \mathcal{M}_1 \longrightarrow \mathcal{L}_1$ such that

$$\delta_{\mathcal{L}_1 \mathcal{L}_0} \circ \sigma_1 = \delta_{\mathcal{M}_1 \mathcal{M}_0} \tag{2}$$

As follows:

- $Z_{21}^{(2)} x(v) \mapsto \frac{1}{2} Z_{21} x \partial_{21}(v)$; where $v \in \mathcal{D}_{11} \otimes \mathcal{D}_6 \otimes \mathcal{D}_3$.

- $Z_{21}^{(3)} x(v) \mapsto \frac{1}{3} Z_{21} x \partial_{21}^{(2)}(v)$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_5 \otimes \mathcal{D}_3$.

- $Z_{21}^{(4)}x(v) \mapsto \frac{1}{4}Z_{21}x\partial_{21}^{(3)}(v)$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_4 \otimes \mathcal{D}_3$.
- $Z_{21}^{(5)}x(v) \mapsto \frac{1}{5}Z_{21}x\partial_{21}^{(4)}(v)$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_3 \otimes \mathcal{D}_3$.
- $Z_{21}^{(6)}x(v) \mapsto \frac{1}{6}Z_{21}x\partial_{21}^{(5)}(v)$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_2 \otimes \mathcal{D}_3$.
- $Z_{21}^{(7)}x(v) \mapsto \frac{1}{7}Z_{21}x\partial_{21}^{(6)}(v)$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_1 \otimes \mathcal{D}_3$.
- $Z_{21}^{(8)}x(v) \mapsto \frac{1}{8}Z_{21}x\partial_{21}^{(7)}(v)$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{32}^{(2)}y(v) \mapsto \frac{1}{2}Z_{32}y\partial_{32}(v)$; where $v \in \mathcal{D}_9 \otimes \mathcal{D}_{10} \otimes \mathcal{D}_1$.
- $Z_{32}^{(3)}y(v) \mapsto \frac{1}{3}Z_{32}y\partial_{32}^{(2)}(v)$; where $v \in \mathcal{D}_9 \otimes \mathcal{D}_{11} \otimes \mathcal{D}_0$.

It is clear that σ_1 satisfies (3.1), then we can define:

$$\partial_1: \mathcal{L}_1 \longrightarrow \mathcal{L}_0 \text{ as } \partial_1 = \delta_{\mathcal{L}_1\mathcal{L}_0}$$

At this point, we are in a position to define:

$$\partial_2: \mathcal{L}_2 \longrightarrow \mathcal{L}_1 \text{ by } \partial_2 = \delta_{\mathcal{L}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{L}_2\mathcal{M}_1}$$

Lemma (3.1):

The composition $\partial_1\partial_2$ equal to zero.

Proof:

$$\begin{aligned} \partial_1\partial_2(a) &= \delta_{\mathcal{L}_1\mathcal{L}_0} \circ (\delta_{\mathcal{L}_2\mathcal{L}_1}(a) + (\sigma_1 \circ \delta_{\mathcal{L}_2\mathcal{M}_1})(a)) \\ &= \delta_{\mathcal{L}_1\mathcal{L}_0} \circ \delta_{\mathcal{L}_2\mathcal{L}_1}(a) + \delta_{\mathcal{L}_1\mathcal{L}_0} \circ (\sigma_1 \circ \delta_{\mathcal{L}_2\mathcal{M}_1})(a). \end{aligned}$$

But $\delta_{\mathcal{L}_1\mathcal{L}_0} \circ \sigma_1 = \delta_{\mathcal{M}_1\mathcal{M}_0}$ then we get:

$$\partial_1\partial_2(a) = \delta_{\mathcal{L}_1\mathcal{L}_0} \circ \delta_{\mathcal{L}_2\mathcal{L}_1}(a) + \delta_{\mathcal{M}_1\mathcal{M}_0} \circ \delta_{\mathcal{L}_2\mathcal{M}_1}(a).$$

By properties of the boundary map δ we get $\partial_1\partial_2 = 0$

We need to define the map $\sigma_2: \mathcal{M}_2 \longrightarrow \mathcal{L}_2$ such that

$$\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1} = (\delta_{\mathcal{L}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{L}_2\mathcal{M}_1}) \circ \sigma_2 \tag{3}$$

As follows:

- $Z_{21}xZ_{21}x(v) \mapsto 0$; where $v \in \mathcal{D}_{11} \otimes \mathcal{D}_6 \otimes \mathcal{D}_3$.
- $Z_{21}^{(2)}xZ_{21}x(v) \mapsto 0$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_5 \otimes \mathcal{D}_3$.
- $Z_{21}xZ_{21}^{(2)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_5 \otimes \mathcal{D}_3$.
- $Z_{21}^{(3)}xZ_{21}x(v) \mapsto 0$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_4 \otimes \mathcal{D}_3$.
- $Z_{21}xZ_{21}^{(3)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_4 \otimes \mathcal{D}_3$.
- $Z_{21}^{(2)}xZ_{21}^{(2)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_4 \otimes \mathcal{D}_3$.
- $Z_{21}^{(4)}xZ_{21}x(v) \mapsto 0$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_3 \otimes \mathcal{D}_3$.
- $Z_{21}xZ_{21}^{(4)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_3 \otimes \mathcal{D}_3$.
- $Z_{21}^{(3)}xZ_{21}^{(2)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_3 \otimes \mathcal{D}_3$.
- $Z_{21}^{(2)}xZ_{21}^{(3)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_3 \otimes \mathcal{D}_3$.
- $Z_{21}^{(5)}xZ_{21}x(v) \mapsto 0$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_2 \otimes \mathcal{D}_3$.
- $Z_{21}xZ_{21}^{(5)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_2 \otimes \mathcal{D}_3$.
- $Z_{21}^{(3)}xZ_{21}^{(3)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_2 \otimes \mathcal{D}_3$.
- $Z_{21}^{(4)}xZ_{21}^{(2)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_2 \otimes \mathcal{D}_3$.
- $Z_{21}^{(2)}xZ_{21}^{(4)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_2 \otimes \mathcal{D}_3$.
- $Z_{21}^{(6)}xZ_{21}x(v) \mapsto 0$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_1 \otimes \mathcal{D}_3$.
- $Z_{21}xZ_{21}^{(6)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_1 \otimes \mathcal{D}_3$.
- $Z_{21}^{(5)}xZ_{21}^{(2)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_1 \otimes \mathcal{D}_3$.
- $Z_{21}^{(2)}xZ_{21}^{(5)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_1 \otimes \mathcal{D}_3$.
- $Z_{21}^{(4)}xZ_{21}^{(3)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_1 \otimes \mathcal{D}_3$.
- $Z_{21}^{(3)}xZ_{21}^{(4)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_1 \otimes \mathcal{D}_3$.

- $Z_{21}^{(7)} x Z_{21} x(v) \mapsto 0$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{21} x Z_{21}^{(7)} x(v) \mapsto 0$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{21}^{(2)} x Z_{21}^{(6)} x(v) \mapsto 0$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{21}^{(6)} x Z_{21}^{(2)} x(v) \mapsto 0$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{21}^{(4)} x Z_{21}^{(4)} x(v) \mapsto 0$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{21}^{(3)} x Z_{21}^{(5)} x(v) \mapsto 0$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{21}^{(5)} x Z_{21}^{(3)} x(v) \mapsto 0$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_0 \otimes \mathcal{D}_3$.
- $Z_{32} y Z_{21}^{(3)} x(v) \mapsto \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{21}(v)$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_6 \otimes \mathcal{D}_2$.
- $Z_{32} y Z_{21}^{(4)} x(v) \mapsto \frac{1}{6} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)}(v)$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_5 \otimes \mathcal{D}_2$.
- $Z_{32} y Z_{21}^{(5)} x(v) \mapsto \frac{1}{10} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)}(v)$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_4 \otimes \mathcal{D}_2$.
- $Z_{32} y Z_{21}^{(6)} x(v) \mapsto \frac{1}{15} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)}(v)$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_3 \otimes \mathcal{D}_2$.
- $Z_{32} y Z_{21}^{(7)} x(v) \mapsto \frac{1}{21} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(5)}(v)$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_2 \otimes \mathcal{D}_2$.
- $Z_{32} y Z_{21}^{(8)} x(v) \mapsto \frac{1}{28} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(6)}(v)$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_1 \otimes \mathcal{D}_2$.
- $Z_{32} y Z_{21}^{(9)} x(v) \mapsto \frac{1}{36} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(7)}(v)$; where $v \in \mathcal{D}_{18} \otimes \mathcal{D}_0 \otimes \mathcal{D}_2$.
- $Z_{32} y Z_{32} y(v) \mapsto 0$; where $v \in \mathcal{D}_9 \otimes \mathcal{D}_{10} \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(3)} x(v) \mapsto \frac{1}{3} (Z_{32} y Z_{21}^{(2)} x \partial_{31}(v) - Z_{32} y Z_{31} z \partial_{21}^{(2)}(v))$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_7 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(4)} x(v) \mapsto \frac{1}{12} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{31}(v) - \frac{1}{4} Z_{32} y Z_{31} z \partial_{21}^{(3)}(v)$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_6 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(5)} x(v) \mapsto \frac{1}{30} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}(v) - \frac{1}{5} Z_{32} y Z_{31} z \partial_{21}^{(4)}(v)$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_5 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(6)} x(v) \mapsto \frac{1}{60} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{31}(v) - \frac{1}{6} Z_{32} y Z_{31} z \partial_{21}^{(5)}(v)$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_4 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(7)} x(v) \mapsto \frac{1}{105} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{31}(v) - \frac{1}{7} Z_{32} y Z_{31} z \partial_{21}^{(6)}(v)$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_3 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(8)} x(v) \mapsto \frac{1}{168} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(5)} \partial_{31}(v) - \frac{1}{8} Z_{32} y Z_{31} z \partial_{21}^{(7)}(v)$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_2 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(9)} x(v) \mapsto \frac{1}{252} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(6)} \partial_{31}(v) - \frac{1}{9} Z_{32} y Z_{31} z \partial_{21}^{(8)}(v)$; where $v \in \mathcal{D}_{18} \otimes \mathcal{D}_1 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{21}^{(10)} x(v) \mapsto \frac{1}{360} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}(v) - \frac{1}{10} Z_{32} y Z_{31} z \partial_{21}^{(9)}(v)$; where $v \in \mathcal{D}_{19} \otimes \mathcal{D}_0 \otimes \mathcal{D}_1$.
- $Z_{32}^{(2)} y Z_{32} y(v) \mapsto 0$; where $v \in \mathcal{D}_9 \otimes \mathcal{D}_{11} \otimes \mathcal{D}_0$.
- $Z_{32} y Z_{32}^{(2)} y(v) \mapsto 0$; where $v \in \mathcal{D}_9 \otimes \mathcal{D}_{11} \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(4)} x(v) \mapsto \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{31}^{(2)}(v) - \frac{1}{6} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32}^{(2)}(v) - \frac{1}{3} Z_{32} y Z_{31} z \partial_{21}^{(3)} \partial_{32}(v)$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_7 \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(5)} x(v) \mapsto \frac{1}{9} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{31}^{(2)}(v) - \frac{7}{90} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{32}^{(2)}(v) - \frac{2}{9} Z_{32} y Z_{31} z \partial_{21}^{(4)} \partial_{32}(v)$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_6 \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(6)} x(v) \mapsto \frac{1}{18} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}^{(2)}(v) - \frac{2}{45} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{32}^{(2)}(v) - \frac{1}{6} Z_{32} y Z_{31} z \partial_{21}^{(5)} \partial_{32}(v)$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_5 \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(7)} x(v) \mapsto \frac{1}{30} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{31}^{(2)}(v) - \frac{1}{35} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(5)} \partial_{32}^{(2)}(v) - \frac{2}{15} Z_{32} y Z_{31} z \partial_{21}^{(6)} \partial_{32}(v)$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_4 \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(8)} x(v) \mapsto \frac{1}{45} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{31}^{(2)}(v) - \frac{5}{252} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(6)} \partial_{32}^{(2)}(v) - \frac{1}{9} Z_{32} y Z_{31} z \partial_{21}^{(7)} \partial_{32}(v)$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_3 \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(9)} x(v) \mapsto \frac{1}{63} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(5)} \partial_{31}^{(2)}(v) + \frac{1}{84} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(6)} \partial_{32} \partial_{31}(v)$; where $v \in \mathcal{D}_{18} \otimes \mathcal{D}_2 \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(10)} x(v) \mapsto \frac{1}{84} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(6)} \partial_{31}^{(2)}(v)$; where $v \in \mathcal{D}_{19} \otimes \mathcal{D}_1 \otimes \mathcal{D}_0$.
- $Z_{32}^{(3)} y Z_{21}^{(11)} x(v) \mapsto \frac{1}{108} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}^{(2)}(v)$; where $v \in \mathcal{D}_{20} \otimes \mathcal{D}_0 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)} y Z_{31} z(v) \mapsto \frac{1}{3} Z_{32} y Z_{31} z \partial_{32}(v)$; where $v \in \mathcal{D}_{10} \otimes \mathcal{D}_{10} \otimes \mathcal{D}_0$.

Proposition (3.2):

The map σ_2 defined above satisfies (3.2).

Proof: We can see that for some terms:

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{21}xZ_{21}x(v))$; where $v \in \mathcal{D}_{11} \otimes \mathcal{D}_6 \otimes \mathcal{D}_3$
 $= \sigma_1(2Z_{21}^{(2)}x(v) - Z_{21}x\partial_{21}(v)) = \frac{2}{2}Z_{21}x\partial_{21}(v) - Z_{21}x\partial_{21}(v) = 0.$

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{21}^{(4)}xZ_{21}x(v))$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_3 \otimes \mathcal{D}_3$
 $= \sigma_1(5Z_{21}^{(5)}x(v) - Z_{21}^{(4)}x\partial_{21}(v)) = \frac{5}{5}Z_{21}x\partial_{21}^{(4)}(v) - \frac{1}{4}Z_{21}x\partial_{21}^{(3)}\partial_{21}(v) = 0.$

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{32}yZ_{21}^{(3)}x(v))$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_6 \otimes \mathcal{D}_2$
 $= \sigma_1(Z_{21}^{(3)}x\partial_{32}(v) + Z_{21}^{(2)}x\partial_{31}(v)) - Z_{32}y\partial_{21}^{(3)}(v) = \frac{1}{3}Z_{21}x\partial_{21}^{(2)}\partial_{32}(v) + \frac{1}{2}Z_{21}x\partial_{21}\partial_{31}(v) - Z_{32}y\partial_{21}^{(3)}(v).$

And

$$(\delta_{\mathcal{L}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{L}_2\mathcal{M}_1})\left(\frac{1}{3}Z_{32}yZ_{21}^{(2)}x\partial_{21}(v)\right)$$

$$= \frac{1}{3}\sigma_1\left(Z_{21}^{(2)}x\partial_{21}\partial_{32}(v) + Z_{21}^{(2)}x\partial_{31}(v)\right) + \frac{1}{3}Z_{21}x\partial_{31}\partial_{21}(v) - Z_{32}y\partial_{21}^{(3)}(v)$$

$$= \frac{1}{3}Z_{21}x\partial_{21}^{(2)}\partial_{32}(v) + \frac{1}{2}Z_{21}x\partial_{21}\partial_{31}(v) - Z_{32}y\partial_{21}^{(3)}(v).$$

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{32}yZ_{32}y(v))$; where $v \in \mathcal{D}_9 \otimes \mathcal{D}_{10} \otimes \mathcal{D}_1$
 $= \sigma_1(2Z_{32}^{(2)}y(v) - Z_{32}y\partial_{32}(v)) = \frac{2}{2}Z_{32}y\partial_{32}(v) - Z_{32}y\partial_{32}(v) = 0.$

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{32}^{(2)}yZ_{21}^{(3)}x(v))$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_7 \otimes \mathcal{D}_1$
 $= \sigma_1(Z_{21}^{(3)}x\partial_{32}^{(2)}(v) + Z_{21}^{(2)}x\partial_{32}\partial_{31}(v)) + Z_{21}x\partial_{31}^{(2)}(v) - \sigma_1(Z_{32}^{(2)}y\partial_{21}^{(3)}(v))$
 $= \frac{1}{3}Z_{21}x\partial_{21}^{(2)}\partial_{32}^{(2)}(v) + \frac{1}{2}Z_{21}x\partial_{21}\partial_{32}\partial_{31}(v) + Z_{21}x\partial_{31}^{(2)}(v) - \frac{1}{2}Z_{32}y\partial_{32}\partial_{21}^{(3)}(v).$

And

$$(\delta_{\mathcal{L}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{L}_2\mathcal{M}_1})\left(\frac{1}{3}Z_{32}yZ_{21}^{(2)}x\partial_{31}(v) - \frac{1}{3}Z_{32}yZ_{31}z\partial_{21}^{(2)}(v)\right)$$

$$= \sigma_1\left(\frac{1}{3}Z_{21}^{(2)}x\partial_{32}\partial_{31}(v)\right) + \frac{1}{3}Z_{21}x\partial_{31}\partial_{31}(v) - \frac{1}{3}Z_{21}x\partial_{21}^{(2)}\partial_{31}(v) - \sigma_1\left(\frac{1}{3}Z_{32}^{(2)}y\partial_{21}\partial_{21}^{(2)}(v)\right) + \frac{1}{3}Z_{21}x\partial_{32}^{(2)}\partial_{21}^{(2)}(v) +$$

$$\frac{1}{3}Z_{32}y\partial_{31}\partial_{21}^{(2)}(v) = \frac{1}{3}Z_{21}x\partial_{21}^{(2)}\partial_{32}^{(2)}(v) + \frac{1}{2}Z_{21}x\partial_{21}\partial_{32}\partial_{31}(v) + Z_{21}x\partial_{31}^{(2)}(v) - \frac{1}{2}Z_{32}y\partial_{32}\partial_{21}^{(3)}(v).$$

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{32}^{(2)}yZ_{21}^{(10)}x(v))$; where $v \in \mathcal{D}_{19} \otimes \mathcal{D}_0 \otimes \mathcal{D}_1$
 $= Z_{21}^{(10)}x\partial_{32}^{(2)}(v) + \sigma_1(Z_{21}^{(8)}x\partial_{31}^{(2)}(v) - Z_{32}^{(2)}y\partial_{21}^{(10)}(v)) = \frac{1}{8}Z_{21}x\partial_{21}^{(7)}\partial_{31}^{(2)}(v) - \frac{1}{2}Z_{32}y\partial_{32}\partial_{21}^{(10)}(v).$

And

$$(\delta_{\mathcal{L}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{L}_2\mathcal{M}_1})\left(\frac{1}{360}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(7)}\partial_{31}(v) - \frac{1}{10}Z_{32}yZ_{31}z\partial_{21}^{(9)}(v)\right) = \frac{1}{360}\sigma_1\left(Z_{21}^{(2)}x\partial_{32}\partial_{21}^{(7)}\partial_{31}(v) +$$

$$2Z_{21}^{(2)}x\partial_{21}^{(6)}\partial_{31}^{(2)}(v)\right) + \frac{1}{360}Z_{21}x\partial_{31}\partial_{21}^{(7)}\partial_{31}(v) -$$

$$\frac{36}{360}Z_{32}y\partial_{21}^{(9)}\partial_{31}(v) - \sigma_1\left(\frac{1}{10}Z_{32}^{(2)}y\partial_{21}\partial_{21}^{(9)}(v)\right) + \frac{1}{10}Z_{21}x\partial_{32}^{(2)}\partial_{21}^{(9)}(v) + \frac{1}{10}Z_{32}y\partial_{31}\partial_{21}^{(9)}(v)$$

$$= \frac{1}{8}Z_{21}x\partial_{21}^{(7)}\partial_{31}^{(2)}(v) - \frac{1}{2}Z_{32}y\partial_{32}\partial_{21}^{(10)}(v).$$

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{32}^{(2)}yZ_{32}y(v))$; where $v \in \mathcal{D}_9 \otimes \mathcal{D}_{11} \otimes \mathcal{D}_0$
 $= \sigma_1(3Z_{32}^{(3)}y(v) - Z_{32}^{(2)}y\partial_{32}(v)) = \frac{3}{3}Z_{32}y\partial_{32}^{(2)}(v) - \frac{2}{2}Z_{32}y\partial_{32}^{(2)}(v) = 0.$

- $(\delta_{\mathcal{M}_2\mathcal{L}_1} + \sigma_1 \circ \delta_{\mathcal{M}_2\mathcal{M}_1})(Z_{32}^{(3)}yZ_{21}^{(4)}x(v))$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_7 \otimes \mathcal{D}_0$
 $= \sigma_1(Z_{21}^{(4)}x\partial_{32}^{(3)}(v) + Z_{21}^{(3)}x\partial_{32}^{(2)}\partial_{31}(v) + Z_{21}^{(2)}x\partial_{32}\partial_{31}^{(2)}(v)) + Z_{21}x\partial_{31}^{(3)}(v) - \sigma_1(Z_{32}^{(3)}y\partial_{21}^{(4)}(v))$
 $= \frac{1}{4}Z_{21}x\partial_{21}^{(3)}\partial_{32}^{(3)}(v) + \frac{1}{3}Z_{21}x\partial_{21}^{(2)}\partial_{32}^{(2)}\partial_{31}(v) + \frac{1}{2}Z_{21}x\partial_{21}\partial_{32}\partial_{31}^{(2)}(v) +$
 $Z_{21}x\partial_{31}^{(3)}(v) - \frac{1}{3}Z_{32}y\partial_{21}^{(4)}\partial_{32}^{(2)}(v) - \frac{1}{3}Z_{32}y\partial_{21}^{(3)}\partial_{32}\partial_{31} - \frac{1}{3}Z_{32}y\partial_{21}^{(2)}\partial_{31}^{(2)}(v).$

And

$$\begin{aligned}
 & (\delta_{L_2L_1} + \sigma_1 \circ \delta_{L_2M_1}) \left(\frac{1}{3} Z_{32} \psi Z_{21}^{(2)} x \partial_{31}^{(2)}(v) - \frac{1}{6} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32}^{(2)}(v) - \frac{1}{3} Z_{32} \psi Z_{31} z \partial_{21}^{(3)} \partial_{32}(v) \right) \\
 &= \sigma_1 \left(\frac{1}{3} Z_{21}^{(2)} x \partial_{32} \partial_{31}^{(2)}(v) \right) + \frac{1}{3} Z_{21} x \partial_{31} \partial_{31}^{(2)}(v) - \frac{1}{3} Z_{32} \psi \partial_{21}^{(2)} \partial_{31}^{(2)}(v) - \\
 & \quad \frac{1}{6} \sigma_1 \left(Z_{21}^{(2)} x \partial_{32} \partial_{21}^{(2)} \partial_{32}^{(2)}(v) + Z_{21}^{(2)} x \partial_{21} \partial_{31} \partial_{32}^{(2)}(v) \right) - \frac{1}{6} Z_{21} x \partial_{31} \partial_{21}^{(2)} \partial_{32}^{(2)}(v) + \\
 & \quad Z_{32} \psi \partial_{21}^{(4)} \partial_{32}^{(2)}(v) - \sigma_1 \left(\frac{1}{3} Z_{32}^{(2)} \psi \partial_{21} \partial_{21}^{(3)} \partial_{32}(v) \right) + \frac{1}{3} Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(3)} \partial_{32}(v) + \frac{1}{3} Z_{32} \psi \partial_{31} \partial_{21}^{(3)} \partial_{32}(v) \\
 &= \frac{1}{4} Z_{21} x \partial_{21}^{(3)} \partial_{32}^{(3)}(v) + \frac{1}{3} Z_{21} x \partial_{21}^{(2)} \partial_{32}^{(2)} \partial_{31}(v) + \frac{1}{2} Z_{21} x \partial_{21} \partial_{32} \partial_{31}^{(2)}(v) + \\
 & \quad Z_{21} x \partial_{31}^{(3)}(v) - \frac{1}{3} Z_{32} \psi \partial_{21}^{(4)} \partial_{32}^{(2)}(v) - \frac{1}{3} Z_{32} \psi \partial_{21}^{(3)} \partial_{32} \partial_{31} - \frac{1}{3} Z_{32} \psi \partial_{21}^{(2)} \partial_{31}^{(2)}(v).
 \end{aligned}$$

- $(\delta_{M_2L_1} + \sigma_1 \circ \delta_{M_2M_1}) (Z_{32}^{(3)} \psi Z_{21}^{(11)} x(v))$; where $v \in \mathcal{D}_{20} \otimes \mathcal{D}_0 \otimes \mathcal{D}_0$

$$\begin{aligned}
 &= Z_{21}^{(11)} x \partial_{32}^{(3)}(v) + Z_{21}^{(10)} x \partial_{32}^{(2)} \partial_{31}(v) + \sigma_1 (Z_{21}^{(9)} x \partial_{32} \partial_{31}^{(2)}(v) + Z_{21}^{(8)} x \partial_{31}^{(3)}(v) - Z_{32}^{(3)} \psi \partial_{21}^{(11)}(v)) \\
 &= \frac{1}{8} Z_{21} x \partial_{21}^{(7)} \partial_{31}^{(3)}(v) - \frac{1}{3} Z_{32} \psi \partial_{21}^{(9)} \partial_{31}^{(2)}(v).
 \end{aligned}$$

And

$$\begin{aligned}
 & (\delta_{L_2L_1} + \sigma_1 \circ \delta_{L_2M_1}) \left(\frac{1}{108} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}^{(2)}(v) \right) \\
 &= \sigma_1 \left(\frac{1}{108} Z_{21}^{(2)} x \partial_{32} \partial_{21}^{(7)} \partial_{31}^{(2)}(v) \right) + \frac{1}{108} Z_{21} x \partial_{31} \partial_{21}^{(7)} \partial_{31}^{(2)}(v) - \frac{1}{108} Z_{32} \psi \partial_{21}^{(2)} \partial_{21}^{(7)} \partial_{31}^{(2)}(v) = \frac{1}{8} Z_{21} x \partial_{21}^{(7)} \partial_{31}^{(3)}(v) - \\
 & \quad \frac{1}{3} Z_{32} \psi \partial_{21}^{(9)} \partial_{31}^{(2)}(v).
 \end{aligned}$$

- $(\delta_{M_2L_1} + \sigma_1 \circ \delta_{M_2M_1}) (Z_{32}^{(2)} \psi Z_{31} z(v))$; where $v \in \mathcal{D}_{10} \otimes \mathcal{D}_{10} \otimes \mathcal{D}_0$

$$\begin{aligned}
 &= \sigma_1 (Z_{32}^{(3)} \psi \partial_{21}(v)) - Z_{21} x \partial_{32}^{(3)}(v) - \sigma_1 (Z_{32}^{(2)} \psi \partial_{31}(v)) = \frac{1}{3} Z_{32} \psi \partial_{32}^{(2)} \partial_{21}(v) - Z_{21} x \partial_{32}^{(3)}(v) - \frac{1}{2} Z_{32} \psi \partial_{32} \partial_{31}(v).
 \end{aligned}$$

And

$$\begin{aligned}
 & (\delta_{L_2L_1} + \sigma_1 \circ \delta_{L_2M_1}) \left(\frac{1}{3} Z_{32} \psi Z_{31} z \partial_{32}(v) \right) \\
 &= \sigma_1 \left(\frac{1}{3} Z_{32}^{(2)} \psi \partial_{21} \partial_{32}(v) \right) - \frac{1}{3} Z_{21} x \partial_{32}^{(2)} \partial_{32}(v) - \frac{1}{3} Z_{32} \psi \partial_{31} \partial_{32}(v) \\
 &= \frac{1}{3} Z_{32} \psi \partial_{32}^{(2)} \partial_{21}(v) - Z_{21} x \partial_{32}^{(3)}(v) - \frac{1}{2} Z_{32} \psi \partial_{32} \partial_{31}(v).
 \end{aligned}$$

Now by employ σ_2 we can also define

$$\partial_3: \mathcal{L}_3 \longrightarrow \mathcal{L}_2 \quad \text{as} \quad \partial_3 = \delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}$$

Lemma (3.3):

The composition $\partial_2 \partial_3$ equal to zero.

Proof:

$$\begin{aligned}
 \partial_2 \partial_3(a) &= (\delta_{L_2L_1}(a) + (\sigma_1 \circ \delta_{L_2M_1})(a)) \circ (\delta_{L_3L_2}(a) + (\sigma_2 \circ \delta_{L_3M_2})(a)) \\
 &= (\delta_{L_2L_1} \circ \delta_{L_3L_2})(a) + (\delta_{L_2L_1} \circ \sigma_2 \circ \delta_{L_3M_2})(a) + (\sigma_1 \circ \delta_{L_2M_1} \circ \sigma_2 \circ \delta_{L_3M_2})(a).
 \end{aligned}$$

But $\delta_{L_2L_1} \circ \sigma_2 + \sigma_1 \circ \delta_{L_2M_1} \circ \sigma_2 = \delta_{M_2L_1} + \sigma_1 \circ \delta_{M_2M_1}$ so we get:

$$\partial_2 \partial_3(a) = (\delta_{L_2L_1} \circ \delta_{L_3L_2})(a) + (\delta_{M_2L_1} \circ \delta_{L_3M_2})(a) + (\sigma_1 \circ \delta_{L_2L_1} \circ \delta_{L_3L_2})(a) (\sigma_1 \circ \delta_{M_2M_1} \circ \delta_{L_2M_2})(a).$$

By properties of the boundary map δ we get:

$$\partial_2 \partial_3 = 0$$

We need the definition of a map $\sigma_3: \mathcal{M}_3 \longrightarrow \mathcal{L}_3$ such that

$$\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2} = (\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}) \circ \sigma_3 \tag{3}$$

As follows:

- $Z_{21} x Z_{21} x Z_{21} x(v) \mapsto 0$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_5 \otimes \mathcal{D}_3$.
- $Z_{21}^{(2)} x Z_{21} x Z_{21} x(v) \mapsto 0$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_4 \otimes \mathcal{D}_3$.

- $Z_{32}yZ_{31}zZ_{21}^{(6)}x(v) \mapsto \frac{1}{21}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}(v)$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_3 \otimes \mathcal{D}_1$.
- $Z_{32}yZ_{31}zZ_{21}^{(7)}x(v) \mapsto \frac{1}{28}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}(v)$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_2 \otimes \mathcal{D}_1$.
- $Z_{32}yZ_{31}zZ_{21}^{(8)}x(v) \mapsto \frac{1}{36}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(7)}(v)$; where $v \in \mathcal{D}_{18} \otimes \mathcal{D}_1 \otimes \mathcal{D}_1$.
- $Z_{32}yZ_{31}zZ_{21}^{(9)}x(v) \mapsto \frac{1}{45}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(8)}(v)$; where $v \in \mathcal{D}_{19} \otimes \mathcal{D}_0 \otimes \mathcal{D}_1$.
- $Z_{32}yZ_{31}zZ_{21}^{(10)}x(v) \mapsto 0$; where $v \in \mathcal{D}_{19} \otimes \mathcal{D}_0 \otimes \mathcal{D}_1$.
- $Z_{32}yZ_{32}yZ_{31}z(v) \mapsto 0$; where $v \in \mathcal{D}_{10} \otimes \mathcal{D}_{10} \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(2)}x(v) \mapsto \frac{1}{3}Z_{32}yZ_{31}zZ_{21}x\partial_{31}(v)$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_8 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(3)}x(v) \mapsto \frac{1}{6}Z_{32}yZ_{31}zZ_{21}x\partial_{21}\partial_{31}(v) - \frac{1}{12}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{32}(v)$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_7 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(4)}x(v) \mapsto \frac{1}{9}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{31}(v) - \frac{7}{90}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{32}(v)$; where $v \in \mathcal{D}_{14} \otimes \mathcal{D}_6 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(5)}x(v) \mapsto \frac{1}{12}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{31}(v) - \frac{1}{15}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{32}(v)$; where $v \in \mathcal{D}_{15} \otimes \mathcal{D}_5 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(6)}x(v) \mapsto \frac{1}{15}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{31}(v) - \frac{2}{35}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{32}(v)$; where $v \in \mathcal{D}_{16} \otimes \mathcal{D}_4 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(7)}x(v) \mapsto \frac{1}{18}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{31}(v) - \frac{25}{504}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}\partial_{32}(v)$; where $v \in \mathcal{D}_{17} \otimes \mathcal{D}_3 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(8)}x(v) \mapsto \frac{1}{21}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}\partial_{31}(v) + \frac{1}{36}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(7)}\partial_{32}(v)$; where $v \in \mathcal{D}_{18} \otimes \mathcal{D}_2 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(9)}x(v) \mapsto \frac{1}{24}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(7)}\partial_{31}(v) - \frac{7}{180}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(8)}\partial_{32}(v)$; where $v \in \mathcal{D}_{19} \otimes \mathcal{D}_1 \otimes \mathcal{D}_0$.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(10)}x(v) \mapsto \frac{1}{27}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(8)}\partial_{31}(v)$; where $v \in \mathcal{D}_{20} \otimes \mathcal{D}_0 \otimes \mathcal{D}_0$.

Proposition (3.4):

The map σ_3 defined above satisfies (3.3).

Proof:

We can see that for some terms:

• $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2})(Z_{21}xZ_{21}xZ_{21}x(v))$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_5 \otimes \mathcal{D}_3$
 $= \sigma_2 (2Z_{21}^{(2)}xZ_{21}x(v) - 2Z_{21}xZ_{21}^{(2)}x(v) + Z_{21}xZ_{21}x\partial_{21}(v)) = 0.$

• $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2})(Z_{32}yZ_{21}^{(2)}xZ_{21}^{(2)}x(v))$; where $v \in \mathcal{D}_{13} \otimes \mathcal{D}_5 \otimes \mathcal{D}_2$
 $= \sigma_2 (Z_{21}^{(2)}xZ_{21}^{(2)}x\partial_{32}(v) + Z_{21}xZ_{21}^{(2)}x\partial_{31}(v) - 6Z_{32}yZ_{21}^{(3)}x(v)) + Z_{32}yZ_{21}^{(2)}x\partial_{21}(v)$
 $= -\frac{6}{6}Z_{32}yZ_{21}^{(2)}x\partial_{21}(v) + Z_{32}yZ_{21}^{(2)}x\partial_{21}(v) = 0.$

• $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2})(Z_{32}yZ_{32}yZ_{21}^{(3)}x(v))$; where $v \in \mathcal{D}_{12} \otimes \mathcal{D}_7 \otimes \mathcal{D}_1$
 $= \sigma_2 (2Z_{32}^{(2)}yZ_{21}^{(3)}x(v) - Z_{32}yZ_{21}^{(3)}x\partial_{32}(v)) - Z_{32}yZ_{21}^{(2)}x\partial_{31}(v) + \sigma_2 (Z_{32}yZ_{32}y\partial_{21}^{(3)}(v))$
 $= -\frac{1}{3}Z_{32}yZ_{21}^{(2)}x\partial_{31}(v) - \frac{2}{3}Z_{32}yZ_{31}z\partial_{21}^{(2)}(v) - \frac{1}{3}Z_{32}yZ_{21}^{(2)}x\partial_{21}\partial_{32}(v).$

And

$(\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2})\left(-\frac{1}{3}Z_{32}yZ_{31}zZ_{21}x\partial_{21}(v)\right)$
 $= \sigma_2 \left(\frac{1}{3}Z_{21}xZ_{21}x\partial_{32}^{(2)}\partial_{21}(v)\right) - \frac{1}{3}Z_{32}yZ_{21}^{(2)}x\partial_{32}\partial_{21}(v) + \sigma_2 \left(\frac{1}{3}Z_{32}yZ_{32}y\partial_{21}^{(2)}\partial_{21}(v)\right) - \frac{2}{3}Z_{32}yZ_{31}z\partial_{21}^{(2)}(v)$
 $= -\frac{1}{3}Z_{32}yZ_{21}^{(2)}x\partial_{31}(v) - \frac{2}{3}Z_{32}yZ_{31}z\partial_{21}^{(2)}(v) - \frac{1}{3}Z_{32}yZ_{21}^{(2)}x\partial_{21}\partial_{32}(v).$

• $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2})(Z_{32}yZ_{32}yZ_{21}^{(10)}x(v))$; where $v \in \mathcal{D}_{19} \otimes \mathcal{D}_0 \otimes \mathcal{D}_1$
 $= \sigma_2 (2Z_{32}^{(2)}yZ_{21}^{(10)}x(v)) - Z_{32}yZ_{21}^{(10)}x\partial_{32}(v) - \sigma_2 (Z_{32}yZ_{21}^{(9)}x\partial_{31}(v) + Z_{32}yZ_{32}y\partial_{21}^{(10)}(v))$
 $= -\frac{1}{45}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(7)}\partial_{31}(v) - \frac{1}{5}Z_{32}yZ_{31}z\partial_{21}^{(9)}(v).$

And

$(\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2})\left(-\frac{1}{45}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(8)}(v)\right)$

$$= \sigma_2 \left(\frac{1}{45} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(8)}(v) \right) - \frac{1}{45} Z_{32} y Z_{21} x \partial_{32} \partial_{21}^{(8)}(v) + \sigma_2 \left(\frac{1}{45} Z_{32} y Z_{32} y \partial_{21}^{(2)} \partial_{21}^{(8)}(v) \right) - \frac{9}{45} Z_{32} y Z_{31} z \partial_{21}^{(9)}(v) \\ = -\frac{1}{45} Z_{32} y Z_{21} x \partial_{21}^{(7)} \partial_{31}(v) - \frac{1}{5} Z_{32} y Z_{31} z \partial_{21}^{(9)}(v).$$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21} x(v));$ where $v \in D_{13} \otimes D_6 \otimes D_1$
 $= \sigma_2 (Z_{21}^{(3)} x Z_{21} x \partial_{32}^{(2)}(v) + Z_{21}^{(2)} x Z_{21} x \partial_{32} \partial_{31}(v) + Z_{21} x Z_{21} x \partial_{31}^{(2)}(v) - 4 Z_{32}^{(2)} y Z_{21}^{(4)} x(v) + Z_{32}^{(2)} y Z_{21}^{(3)} x \partial_{21}(v))$
 $= -\frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{31}(v) + Z_{32} y Z_{31} z \partial_{21}^{(3)}(v) + \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{31} \partial_{21}(v) - \frac{3}{3} Z_{32} y Z_{31} z \partial_{21}^{(3)}(v) = 0.$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21} x(v));$ where $v \in D_{14} \otimes D_5 \otimes D_1$
 $= \sigma_2 (Z_{21}^{(4)} x Z_{21} x \partial_{32}^{(2)}(v) + Z_{21}^{(3)} x Z_{21} x \partial_{32} \partial_{31}(v) + Z_{21}^{(2)} x Z_{21} x \partial_{31}^{(2)}(v) - 5 Z_{32}^{(2)} y Z_{21}^{(5)} x(v) + Z_{32}^{(2)} y Z_{21}^{(4)} x \partial_{21}(v)) = 0.$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32} y Z_{32} y Z_{32} y(v));$ where $v \in D_9 \otimes D_{11} \otimes D_0$
 $= \sigma_2 (2 Z_{32}^{(2)} y Z_{32} y(v) - 2 Z_{32} y Z_{32}^{(2)} y(v) + Z_{32} y Z_{32} y \partial_{32}(v)) = 0.$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32}^{(2)} y Z_{32} y Z_{21}^{(4)} x(v));$ where $v \in D_{13} \otimes D_7 \otimes D_0$
 $= \sigma_2 (3 Z_{32}^{(3)} y Z_{21}^{(4)} x(v) - Z_{32}^{(2)} y Z_{21}^{(4)} x \partial_{32}(v) - Z_{32}^{(2)} y Z_{21}^{(3)} x \partial_{31}(v) + Z_{32}^{(2)} y Z_{32} y \partial_{21}^{(4)}(v))$
 $= \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{31}^{(2)}(v) - \frac{1}{2} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32}^{(2)}(v) - \frac{3}{4} Z_{32} y Z_{31} z \partial_{21}^{(3)} \partial_{32}(v) - \frac{1}{12} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{32} \partial_{31}(v) +$
 $\frac{1}{3} Z_{32} y Z_{31} z \partial_{21}^{(2)} \partial_{31}(v).$

And

$$(\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}) \left(\frac{1}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21} \partial_{31}(v) - \frac{1}{4} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{32}(v) \right) \\ = \sigma_2 \left(-\frac{1}{6} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21} \partial_{31}(v) \right) + \frac{1}{6} Z_{32} y Z_{21}^{(2)} x \partial_{32} \partial_{21} \partial_{31}(v) + \\ \sigma_2 \left(\frac{1}{6} Z_{32} y Z_{32} y \partial_{21}^{(2)} \partial_{21} \partial_{31}(v) \right) + \frac{1}{6} Z_{32} y Z_{31} z \partial_{21} \partial_{21} \partial_{31}(v) + \\ \sigma_2 \left(\frac{1}{4} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(2)} \partial_{32}(v) \right) - \frac{1}{4} Z_{32} y Z_{21}^{(2)} x \partial_{32} \partial_{21}^{(2)} \partial_{32}(v) + \\ \sigma_2 \left(\frac{1}{4} Z_{32} y Z_{32} y \partial_{21}^{(2)} \partial_{21}^{(2)} \partial_{32}(v) \right) - \frac{1}{4} Z_{32} y Z_{31} z \partial_{21} \partial_{21}^{(2)} \partial_{32}(v) \\ = \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{31}^{(2)}(v) - \frac{1}{2} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32}^{(2)}(v) - \frac{3}{4} Z_{32} y Z_{31} z \partial_{21}^{(3)} \partial_{32}(v) - \frac{1}{12} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{32} \partial_{31}(v) + \\ \frac{1}{3} Z_{32} y Z_{31} z \partial_{21}^{(2)} \partial_{31}(v).$$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32}^{(2)} y Z_{32} y Z_{21}^{(11)} x(v));$ where $v \in D_{20} \otimes D_0 \otimes D_0$
 $= \sigma_2 (3 Z_{32}^{(3)} y Z_{21}^{(11)} x(v) - Z_{32}^{(2)} y Z_{21}^{(11)} x \partial_{32}(v) - \sigma_2 (Z_{32}^{(2)} y Z_{21}^{(10)} x \partial_{31}(v) + Z_{32}^{(2)} y Z_{32} y \partial_{21}^{(11)}(v))$
 $= \frac{1}{45} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}^{(2)}(v) + \frac{1}{10} Z_{32} y Z_{31} z \partial_{21}^{(9)} \partial_{31}(v).$

And

$$(\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}) \left(\frac{1}{90} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(8)} \partial_{31}(v) \right) \\ = \sigma_2 \left(-\frac{1}{90} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(8)} \partial_{31}(v) \right) + \frac{1}{90} Z_{32} y Z_{21}^{(2)} x \partial_{32} \partial_{21}^{(8)} \partial_{31}(v) - \\ \sigma_2 \left(\frac{1}{90} Z_{32} y Z_{32} y \partial_{21}^{(2)} \partial_{21}^{(8)} \partial_{31}(v) \right) + \frac{1}{90} Z_{32} y Z_{31} z \partial_{21} \partial_{21}^{(8)} \partial_{31}(v) \\ = \frac{1}{45} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}^{(2)}(v) + \frac{1}{10} Z_{32} y Z_{31} z \partial_{21}^{(9)} \partial_{31}(v).$$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32} y Z_{32}^{(2)} y Z_{21}^{(4)} x(v));$ where $v \in D_{13} \otimes D_7 \otimes D_0$
 $= \sigma_2 (3 Z_{32}^{(3)} y Z_{21}^{(4)} x(v) - Z_{32} y Z_{21}^{(4)} x \partial_{32}^{(2)}(v) - Z_{32} y Z_{21}^{(3)} x \partial_{32} \partial_{31}(v) - Z_{32} y Z_{21}^{(2)} x \partial_{31}^{(2)}(v) + Z_{32} y Z_{32}^{(2)} y \partial_{21}^{(4)}(v))$
 $= -\frac{2}{3} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32}^{(2)}(v) - Z_{32} y Z_{31} z \partial_{21}^{(3)} \partial_{32}(v) - \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{32} \partial_{31}(v).$

And

$$\begin{aligned}
 & (\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}) \left(-\frac{1}{3} Z_{32} \psi Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{32}(v) \right) \\
 &= \sigma_2 \left(\frac{1}{3} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(2)} \partial_{32}(v) \right) - \frac{1}{3} Z_{32} \psi Z_{21} x \partial_{32} \partial_{21}^{(2)} \partial_{32}(v) + \\
 & \quad \sigma_2 \left(\frac{1}{3} Z_{32} \psi Z_{32} \psi \partial_{21}^{(2)} \partial_{21}^{(2)} \partial_{32}(v) \right) - \frac{1}{3} Z_{32} \psi Z_{31} z \partial_{21} \partial_{21}^{(2)} \partial_{32}(v) \\
 &= -\frac{2}{3} Z_{32} \psi Z_{21} x \partial_{21}^{(2)} \partial_{32}^{(2)}(v) - Z_{32} \psi Z_{31} z \partial_{21}^{(3)} \partial_{32}(v) - \frac{1}{3} Z_{32} \psi Z_{21} x \partial_{21} \partial_{32} \partial_{31}(v).
 \end{aligned}$$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32} \psi Z_{32}^{(2)} \psi Z_{21}^{(11)} x(v))$; where $v \in D_{20} \otimes D_0 \otimes D_0$
 $= \sigma_2 (3 Z_{32}^{(3)} \psi Z_{21}^{(11)} x(v)) - Z_{32} \psi Z_{21}^{(11)} x \partial_{32}^{(2)}(v) - Z_{32} \psi Z_{21}^{(10)} x \partial_{32} \partial_{31}(v) - \sigma_2 (-Z_{32} \psi Z_{21}^{(9)} x \partial_{31}^{(2)}(v) + Z_{32} \psi Z_{32}^{(2)} \psi \partial_{21}^{(11)}(v)) = \frac{3}{108} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}^{(2)}(v) - \frac{1}{36} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}^{(2)}(v) = 0.$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32}^{(3)} \psi Z_{21}^{(4)} x Z_{21} x(v))$; where $v \in D_{14} \otimes D_6 \otimes D_0$
 $= \sigma_2 (Z_{21}^{(4)} x Z_{21} x \partial_{32}^{(2)}(v) + Z_{21}^{(3)} x Z_{21} x \partial_{32}^{(2)} \partial_{31}(v) + Z_{21}^{(2)} x Z_{21} x \partial_{32} \partial_{31}^{(2)}(v) + Z_{21} x Z_{21} x \partial_{31}^{(3)}(v) - 5 Z_{32}^{(3)} \psi Z_{21}^{(5)} x(v) + Z_{32}^{(3)} \psi Z_{21}^{(4)} x \partial_{21}(v))$
 $= -\frac{2}{9} Z_{32} \psi Z_{21}^{(2)} x \partial_{21} \partial_{31}^{(2)}(v) - \frac{1}{9} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{32}^{(2)}(v) - \frac{2}{9} Z_{32} \psi Z_{31} z \partial_{21}^{(4)} \partial_{32}(v) - \frac{1}{6} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32} \partial_{31}(v) - \frac{1}{3} Z_{32} \psi Z_{31} z \partial_{21}^{(3)} \partial_{31}(v).$

And

$$\begin{aligned}
 & (\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}) \left(-\frac{1}{9} Z_{32} \psi Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{31}(v) - \frac{1}{18} Z_{32} \psi Z_{31} z Z_{21} x \partial_{21}^{(3)} \partial_{32}(v) \right) \\
 &= \sigma_2 \left(\frac{1}{9} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(2)} \partial_{31}(v) \right) - \frac{1}{9} Z_{32} \psi Z_{21}^{(2)} x \partial_{32} \partial_{21}^{(2)} \partial_{31}(v) + \\
 & \quad \sigma_2 \left(\frac{1}{9} Z_{32} \psi Z_{32} \psi \partial_{21}^{(2)} \partial_{21}^{(2)} \partial_{31}(v) \right) - \frac{1}{9} Z_{32} \psi Z_{31} z \partial_{21} \partial_{21}^{(2)} \partial_{31}(v) + \\
 & \quad \sigma_2 \left(\frac{1}{18} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(3)} \partial_{32}(v) \right) - \frac{1}{18} Z_{32} \psi Z_{21}^{(2)} x \partial_{32} \partial_{21}^{(3)} \partial_{32}(v) + \\
 & \quad \sigma_2 \left(\frac{1}{18} Z_{32} \psi Z_{32} \psi \partial_{21}^{(2)} \partial_{21}^{(3)} \partial_{32}(v) \right) - \frac{1}{18} Z_{32} \psi Z_{31} z \partial_{21} \partial_{21}^{(3)} \partial_{32}(v) \\
 &= -\frac{2}{9} Z_{32} \psi Z_{21}^{(2)} x \partial_{21} \partial_{31}^{(2)}(v) - \frac{1}{9} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{32}^{(2)}(v) - \\
 & \quad \frac{2}{9} Z_{32} \psi Z_{31} z \partial_{21}^{(4)} \partial_{32}(v) - \frac{1}{6} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32} \partial_{31}(v) - \frac{1}{3} Z_{32} \psi Z_{31} z \partial_{21}^{(3)} \partial_{31}(v).
 \end{aligned}$$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32}^{(3)} \psi Z_{21}^{(10)} x Z_{21}^{(1)} x(v))$; where $v \in D_{20} \otimes D_0 \otimes D_0$
 $= Z_{21}^{(10)} x Z_{21} x \partial_{32}^{(3)}(v) + Z_{21}^{(9)} x Z_{21} x \partial_{32}^{(2)} \partial_{31}(v) + Z_{21}^{(8)} x Z_{21} x \partial_{32} \partial_{31}^{(2)}(v) + \sigma_2 (Z_{21}^{(7)} x Z_{21} x \partial_{31}^{(3)}(v) - 11 Z_{32}^{(3)} \psi Z_{21}^{(11)} x(v) + Z_{32}^{(3)} \psi Z_{21}^{(10)} x \partial_{21}(v)) = 0.$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32} \psi Z_{31} z Z_{21}^{(2)} x(v))$; where $v \in D_{12} \otimes D_7 \otimes D_1$
 $= \sigma_2 (Z_{32}^{(2)} \psi Z_{21}^{(3)} x(v) - Z_{21} x Z_{21}^{(2)} x \partial_{32}^{(2)}(v) + Z_{32} \psi Z_{21}^{(3)} x \partial_{32}(v) - Z_{32} \psi Z_{32} \psi \partial_{21}^{(3)}(v)) + Z_{32} \psi Z_{31} z \partial_{21}^{(2)}(v) = \frac{1}{3} Z_{32} \psi Z_{21}^{(2)} x \partial_{31}(v) + \frac{2}{3} Z_{32} \psi Z_{31} z \partial_{21}^{(2)}(v) + \frac{1}{3} Z_{32} \psi Z_{21}^{(2)} x \partial_{21} \partial_{32}(v).$

And

$$\begin{aligned}
 & (\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}) \left(\frac{1}{3} Z_{32} \psi Z_{31} z Z_{21} x \partial_{21}(v) \right) \\
 &= \sigma_2 \left(-\frac{1}{3} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}(v) \right) + \frac{1}{3} Z_{32} \psi Z_{21}^{(2)} x \partial_{32} \partial_{21}(v) - \sigma_2 \left(\frac{1}{3} Z_{32} \psi Z_{32} \psi \partial_{21}^{(2)} \partial_{21}(v) \right) + \frac{1}{3} Z_{32} \psi Z_{31} z \partial_{21} \partial_{21}(v) = \\
 & \quad \frac{1}{3} Z_{32} \psi Z_{21}^{(2)} x \partial_{31}(v) + \frac{2}{3} Z_{32} \psi Z_{31} z \partial_{21}^{(2)}(v) + \frac{1}{3} Z_{32} \psi Z_{21}^{(2)} x \partial_{21} \partial_{32}(v).
 \end{aligned}$$

- $(\delta_{M_3L_2} + \sigma_2 \circ \delta_{M_3M_2}) (Z_{32} \psi Z_{31} z Z_{21}^{(3)} x(v))$; where $v \in D_{13} \otimes D_6 \otimes D_1$
 $= \sigma_2 (2 Z_{32}^{(2)} \psi Z_{21}^{(4)} x(v) - Z_{21} x Z_{21}^{(3)} x \partial_{32}^{(2)}(v) + Z_{32} \psi Z_{21}^{(4)} x \partial_{32}(v) -$

$$\begin{aligned}
 & (\delta_{L_3L_2} + \sigma_2 \circ \delta_{L_3M_2}) \left(\frac{1}{27} Z_{32} \psi Z_{31} z Z_{21} x \partial_{21}^{(8)} \partial_{31}(v) \right) \\
 &= \sigma_2 \left(-\frac{1}{27} Z_{21} x Z_{21} x \partial_{32}^{(2)} \partial_{21}^{(8)} \partial_{31}(v) \right) + \frac{1}{27} Z_{32} \psi Z_{21}^{(2)} x \partial_{32} \partial_{21}^{(7)} \partial_{31}(v) - \\
 & \quad \sigma_2 \left(\frac{1}{27} Z_{32} \psi Z_{32} \psi \partial_{21}^{(2)} \partial_{21}^{(8)} \partial_{31}(v) \right) + \frac{9}{27} Z_{32} \psi Z_{31} z \partial_{21} \partial_{21}^{(9)} \partial_{31}(v) \\
 &= \frac{2}{27} Z_{32} \psi Z_{21}^{(2)} x \partial_{21}^{(7)} \partial_{31}^{(2)}(v) + \frac{1}{3} Z_{32} \psi Z_{31} z \partial_{21}^{(9)} \partial_{31}(v).
 \end{aligned}$$

Eventually, we define the boundary maps in the complex:

$$0 \longrightarrow L_3 \xrightarrow{\partial_3} L_2 \xrightarrow{\partial_2} L_1 \xrightarrow{\partial_1} L_0; \tag{4}$$

where ∂_1 is the operation of indicated polarization operators, ∂_1 , ∂_2 and ∂_3 defined as follows:

- $\partial_1(Z_{21}x(v)) = \partial_{21}(v)$; where $v \in D_{10} \otimes D_7 \otimes D_3$.
- $\partial_1(Z_{32}\psi(v)) = \partial_{32}(v)$; where $v \in D_9 \otimes D_9 \otimes D_2$.
- $\partial_2(Z_{32}\psi Z_{21}^{(2)}x(v)) = \frac{1}{2} Z_{21}x\partial_{21}\partial_{32}(v) + Z_{21}x\partial_{31}(v) - Z_{32}\psi\partial_{21}^{(2)}(v)$; where $v \in D_{11} \otimes D_7 \otimes D_2$.
- $\partial_2(Z_{32}\psi Z_{31}z(v)) = \frac{1}{2} Z_{32}\psi\partial_{32}\partial_{21}(v) - Z_{21}x\partial_{32}^{(2)}(v) - Z_{32}\psi\partial_{31}(v)$; where $v \in D_{10} \otimes D_9 \otimes D_1$.
- $\partial_3(Z_{32}\psi Z_{31}z Z_{21}x(v)) = Z_{32}\psi Z_{21}^{(2)}x\partial_{32}(v) + Z_{32}\psi Z_{31}z\partial_{21}(v)$; where $v \in D_{11} \otimes D_8 \otimes D_1$.

Theorem (3.5):

The complex (3.4) is exact and in characteristic-zero gives a resolution of $K_{(9,8,3)}(\mathcal{F})$.

Proof:

First, we prove the exactness of the complex

$$0 \longrightarrow L_3 \xrightarrow{\partial_3} L_2 \xrightarrow{\partial_2} L_1$$

Since one component of the map ∂_3 is a diagonalization of D_2 into $D_1 \otimes D_1$ it is clear that ∂_3 is injective. To prove the exactness at L_2 .

For this, we need to show that:

If $v \in \ker(\partial_2)$ then $\exists w \in L_3$ such that $\partial_3(w) = v$.

If $\partial_2(v) = 0$ then $\exists (a, b) \in L_3 \oplus M_3$ such that

$\delta(a, b) = (v, 0) \in L_2 \oplus M_2$, but

$\delta(a, b) = \delta_{L_3L_2}(a) + \delta_{L_3M_2}(a) + \delta_{M_2L_2}(b) + \delta_{M_3M_2}(b)$. So we get:

$$\delta_{L_3L_2}(a) + \delta_{M_3L_2}(b) = v \tag{5}$$

and

$$\delta_{L_3M_2}(a) + \delta_{M_3M_2}(b) = 0 \tag{6}$$

Now if $w = a + \sigma_3(b)$ we can see that $\partial_3(w) = v$ in fact

$\partial_3(a) = \delta_{L_3L_2}(a) + \sigma_2 \circ \delta_{L_3M_2}(a)$, and

$\partial_3(\sigma_3(b)) = \delta_{M_3L_2}(b) + \sigma_2 \circ \delta_{M_3M_2}(b)$, so

$$\begin{aligned}
 \partial_3(a + \sigma_3(b)) &= \partial_3(a) + \partial_3(\sigma_3(b)) \\
 &= \delta_{L_3L_2}(a) + \sigma_2 \circ \delta_{L_3M_2}(a) + \delta_{M_2L_2}(b) + \sigma_2 \circ \delta_{M_3M_2}(b) \\
 &= \delta_{L_3L_2}(a) + \delta_{M_3L_2}(b) + \sigma_2 \circ \left(\delta_{L_3M_2}(a) + \delta_{M_3M_2}(b) \right).
 \end{aligned}$$

Hence from (1) and (2), we get $\partial_3(w) = v$; where $w = a + \sigma_3(b)$.

This proves the exactness at L_2 .

As the same way we can prove the exactness at L_1 .

Finally, we get the complex:

$$0 \longrightarrow L_3 \xrightarrow{\partial_3} L_2 \xrightarrow{\partial_2} L_1 \xrightarrow{\partial_1} L_0 \longrightarrow \mathcal{K}_{(9,8,3)}(\mathcal{F}) \longrightarrow 0,$$

is exact.

Conflicts Of Interest

There are no conflicts of interest.

Funding

There is no funding for the paper.

Acknowledgment

Researchers extend their Sincere thanks to the editor and members of the preparatory committee of the *Babylonian Journal of Mathematics*.

References

- [1] D.A Buchsbaum and G.C. Rota, “a New Construction in Homological Algebra”, *Nati. Acad. Sci. USA*, Vol.91(10), pp.4115-4119, 1994.
- [2] D.A. Buchsbaum and G.C. Rota, “ Approaches to Resolution of Weyl Modules”, *Adv. In Applied Math.*, Vol.27, pp.182-191, 2001.
- [3] J. Desarmenien, J.P.S. Kung and G.C.Rota, “Invariant Theory, Young Bitableaux and Combinatorics”, *Adv. Math.*, Vol.27, pp.63-92, 1978.
- [4] D.A. Buchsbaum, “Resolution of Weyl Modules: the Rota Touch, Algebraic Combinatorics and Computer Science”, Springer-Verlag, Italian, Milano, pp.97-109, 2001.
- [5] D.A Buchsbaum, “ a Characteristic-Free Example of Lascoux Resolution, and Letter Place Methods for Intertwining Numbers”, *European Journal of Combinatorics*, Vol.25, pp.1169-1179, 2004.
- [6] A.Lascoux, “ Polynomes Symetriques”, *Foncteurs de Schur et Grassmanniennes*, Thèse Université de Paris, VII, 1977.
- [7] D.A. Buchsbaum and B.D., “ Taylor Homotopies for Resolution of Skew-Hook Shapes”, *Adv. In Applied Math.*, Vol.30, pp.26-43, 2003.
- [8] H.R. Hassan, “Application of the Characteristic-Free Resolution of Weyl Module to the Lascoux Resolution in the Case (3,3,3)”, Ph.D. Thesis, Università di Roma "Tor Vergata", 2005.
- [9] H.R. Hassan, “The Reduction of Weyl Module from Characteristic-Free to Lascoux Resolution in Case (4,4,3)”, *Ibn Al-Haitham J. for Pure and Applied Sci.*, Vol.25(3), pp.341-355, 2012.
- [10] R.H. Haytham, S.J.Niran, “On free resolution of Weyl module and zero characteristic resolution in the case of partition (8,7,3)”, *Baghdad Science Journal*, 15 (4), pp. 455-465, 2018, DOI: 10.21123/bsj.2018.15.4.0455.
- [11] R.H. Haytham, S.J.Niran, “Weyl Module Resolution Res (6,6,4;0,0) in the Case of Characteristic Zero”, *Iraqi Journal of Science*, Vol. 62, No. 4, pp: 1344-1348, 2021, DOI: 10.24996/ij.s.2021.62.4.30.
- [12] S.J. Niran, J.K. Sawsan and I.A. Ahmed, “Enforcement for the partition (7,7,4;0,0)”, *Journal of Interdisciplinary Mathematics*, 24(6), pp. 1669-1676, 2021, DOI:10.1080/09720502.2021.1892272.